

Howard & Howard

law for business

FACSIMILE TRANSMITTAL SHEET

This communication is confidential and intended only for the addressee. Any distribution or duplication of this communication is prohibited. If this facsimile was not intended for you, please telephone us immediately so that we can arrange for its return at our expense.

TO:	Examiner Rabon Sergeant	FROM:	Randy Shoemaker
COMPANY:	USPTO, Art Unit 1711	DATE:	05/29/03
FAX NUMBER:	703-8729734	TOTAL NO. OF PAGES INCLUDING COVER:	12
PHONE NUMBER:	[Click here and type phone number]	SENDER'S TELEPHONE NUMBER:	(248) 645-1483
CLIENT NUMBER	65,205-167	SENDER'S FAX NUMBER:	(248) 645-1568
RE:	Resend of Amendment for 10/049,335		

URGENT FOR REVIEW PLEASE COMMENT PLEASE REPLY PLEASE RECYCLE

NOTES/COMMENTS:

Dear Rabon:

Per your conversation with Fernando Borrego today I am faxing you the response filed in the above referenced case on May 6, 2003 and a copy of the acknowledgement postcard from the USPTO. If you have any questions do not hesitate to call me. Thank You.


Randy Shoemaker

HOWARD & HOWARD ATTORNEYS, P.C.
THE PINEHURST OFFICE CENTER, SUITE 101
39400 WOODWARD AVENUE
BLOOMFIELD HILLS, MICHIGAN 48304-5151

Attorney docket # 12118
*H10/B
6/6/03*IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Harre et al.

Serial No.: 10/049,335
Group Art Unit: 1711
Filed: February 8, 2002
Examiner: Sergeant R.
For: POLYETHER ALCOHOLS

AMENDMENT

Assistant Commissioner for Patents
Washington, D.C. 20231

Dear Sir:

In response to the communication from the Examiner of September 19, 2002 please amend the claims as follows and consider the accompanying remarks.

IN THE CLAIMS:

- B1*
1. (Twice Amended) A process for preparing polyether polyols comprising catalytic addition reacting ethylene oxide and propylene oxide onto H-functional initiator substances in the presence of at least one multimetal cyanide compound as catalyst, wherein an end block of an alkylene oxide having at least three carbon atoms is added on at the end of the chain in an amount of from greater than 15 to 50% by weight based on the total weight of the polyol.